


CLASSIC 17

| CODE      | •   | →     | <b>≠-</b> —- |              |
|-----------|-----|-------|--------------|--------------|
| SF6409-10 | 4 m | 12.5' | lamelle      |              |
| SF6809-10 | 8 m | 25'   | lamelle      | TSK 50-M12x1 |

| TECHNICAL DATA |              |               |  |  |
|----------------|--------------|---------------|--|--|
| <b>*</b>       | 17 CLASSIC   |               |  |  |
| <u>≁</u>       | 0,55 kg      | 1.22 lb       |  |  |
| V PEAK         | 113          |               |  |  |
| <b>I</b>       | Arç          | gon           |  |  |
| Ø <b>⊑</b> –   | 0,5 ÷ 2,4 mm | .020" ÷ 3/32" |  |  |
| <b>X</b> 35%   | 140A DC      | - 125A AC     |  |  |

|    | CODE   |           |                              |    |
|----|--------|-----------|------------------------------|----|
| 4  | TQ0002 |           | insulator                    | 10 |
| 5  | TF0017 | <u></u>   | tig 17 torch head            | 1  |
| 6  | TF0022 |           | tig 17 flex torch head       | 1  |
| 7  | BW0066 |           | back cap 117 mm              | 10 |
| 7  | EA0130 | 0         | O-ring Ø 9x2 mm              | 10 |
| 8  | TT0176 | 2         | french trigger               | 1  |
| 10 | TP0004 | 0         | tig tube handle              | 1  |
| 11 | TH1298 |           | cable assembly - 4 m / 12.5' | 1  |
| 11 | TH1299 |           | cable assembly - 8 m / 25'   | 1  |
| 12 | TH1009 | diama -   | power cable 4 m / 12.5'      | 1  |
| 12 | TH1010 | Charles - | power cable - 8 m / 25'      | 1  |
| 15 | CX0079 |           | TSK 50 - M12X1 plug          | 1  |
|    | TT0104 |           | starter kit - 2,4 mm / .32"  | 1  |



| TIG         | PLUG CONNECTIONS |
|-------------|------------------|
| M12x1 ((    | Sas)             |
|             |                  |
| Cont<br>Cab |                  |

## 

## **TIG CONSUMABLE KITS**

#### **STARTER KITS**



#### 9 - 20 - 20 HC - 25

| CODE   | Ø      |       |   |
|--------|--------|-------|---|
| TT0221 | 1,6 mm | 1/16" | 1 |
| TT0222 | 2,4 mm | 3/32" | 1 |

#### 17 - 18 - 18 HC - 26

| CODE   | Ø      |       |   |
|--------|--------|-------|---|
| TT0223 | 1,6 mm | 1/16" | 1 |
| TT0224 | 2,4 mm | 3/32" | 1 |

#### 24 - 24W

| CODE   | Ø      |       |   |
|--------|--------|-------|---|
| TT0226 | 1,6 mm | 1/16" | 1 |

#### **STARTER KITS**



#### 9 - 20 - 20 HC - 25

| CODE   | ¢      | ð     |     |   |
|--------|--------|-------|-----|---|
| TT0101 | 1,6 mm | 1/16" | WR2 | 1 |
| TT0102 | 2,4 mm | 3/32" | WR2 | 1 |

#### 17 - 18 - 18 HC - 26

| CODE   | Ø      |       |     |   |
|--------|--------|-------|-----|---|
| TT0103 | 1,6 mm | 1/16" | WR2 | 1 |
| TT0104 | 2,4 mm | 3/32" | WR2 | 1 |
| TT0105 | 3,2 mm | 1/8"  | WR2 | 1 |

#### 24 - 24W

| CODE   | Q      | ð     |      |   |
|--------|--------|-------|------|---|
| TT0203 | 1,6 mm | 1/16" | WC20 | 1 |
| TT0204 | 2,4 mm | 3/32" | WC20 | 1 |

# **Trafimet**

### **TIG CONSUMABLE KITS**

#### STARTER KITS WITH BACK CAP



#### 9 - 20 - 20 HC - 25

| CODE   | ¢.     | ð     |      |   |
|--------|--------|-------|------|---|
| TT0021 | 1,6 mm | 1/16" | WC20 | 1 |
| TT0022 | 2.4 mm | 3/32" | WC20 | 1 |

#### 17 - 18 - 18 HC - 26

| CODE   | Ø      |       |      |   |
|--------|--------|-------|------|---|
| TT0023 | 1,6 mm | 1/16" | WC20 | 1 |
| TT0024 | 2,4 mm | 3/32" | WC20 | 1 |
| TT0025 | 3,2 mm | 1/8"  | WC20 | 1 |

#### **MASTER KITS**



#### 9 - 20 - 20 HC - 25

| CODE   | Ø  |   |
|--------|--|---|
| TT0109 | 1,0 mm - 1,6 mm - 2,0 mm - 2,4 mm - 3,2 mm | 1 |

#### 17 - 18 - 18 HC - 26

| CODE   | Ø  |   |
|--------|--|---|
| TT0110 | 1,6 mm - 2,0 mm - 2,4 mm - 3,2 mm - 4,0 mm | 1 |

# 🔻 trafimet

## TIG 17 / 18 / 18 HC / 26 - CONSUMABLES



#### STANDARD

| _ |           |  |    |         |       |                   |        |    |
|---|-----------|--|----|---------|-------|-------------------|--------|----|
|   | CODE      |  | Gr | Q       | 5     | $\leftrightarrow$ | REF    |    |
| 1 | TC0002    |  | 4  | 6,4 mm  | 1/4"  | 47 mm             | 10N50  | 10 |
| 1 | TC0003    |  | 5  | 8 mm    | 5/16" | 47 mm             | 10N49  | 10 |
| 1 | TC0004    |  | 6  | 9,8 mm  | 3/8"  | 47 mm             | 10N48  | 10 |
| 1 | TC0005    |  | 7  | 11,2 mm | 7/16" | 47 mm             | 10N47  | 10 |
| 1 | TC0006    |  | 8  | 12,7 mm | 1/2"  | 47 mm             | 10N46  | 10 |
| 1 | TC0007    |  | 10 | 15,7 mm | 5/8"  | 47 mm             | 10N45  | 10 |
| 1 | TC0008    |  | 12 | 19 mm   | 3/4"  | 47 mm             | 10N44  | 10 |
| 1 | TC0091    |  | 5  | 8 mm    | 5/16" | 76 mm             | 10N49L | 10 |
| 1 | TC0092    |  | 6  | 9,5 mm  | 3/8"  | 76 mm             | 10N48L | 10 |
| 1 | TC0093    |  | 7  | 11 mm   |       | 76 mm             | 10N47L | 10 |
| 2 | TE0001-05 |  |    | 0,5 mm  | .020" | 47 mm             | 10N29  | 10 |
| 2 | TE0001-10 |  |    | 1,0 mm  | .040" | 47 mm             | 10N30  | 10 |
| 2 | TE0001-16 |  |    | 1,6 mm  | 1/16" | 47 mm             | 10N31  | 10 |
| 2 | TE0001-20 |  |    | 2,0 mm  | 5/64" | 47 mm             | -      | 10 |
| 2 | TE0001-24 |  |    | 2,4 mm  | 3/32" | 47 mm             | 10N32  | 10 |
| 2 | TE0001-32 |  |    | 3,2 mm  | 1/8"  | 47 mm             | 10N28  | 10 |
| 2 | TE0001-40 |  |    | 4,0 mm  | 5/32" | 47 mm             | 406488 | 10 |
| 2 | TE0001-48 |  |    | 4,8 mm  | 3/16" | 47 mm             | 30126  | 10 |

|   | CODE      |         | Gr | Q      | ð     | $\leftrightarrow$ | REF   |    |
|---|-----------|---------|----|--------|-------|-------------------|-------|----|
| 3 | TD0001-05 |         |    | 0,5 mm | .020" | 50 mm             | 10N21 | 10 |
| 3 | TD0001-10 |         |    | 1,0 mm | .040" | 50 mm             | 10N22 | 10 |
| 3 | TD0001-16 |         |    | 1,6 mm | 1/16" | 50 mm             | 10N23 | 10 |
| 3 | TD0001-20 |         |    | 2,0 mm | 5/64" | 50 mm             | -     | 10 |
| 3 | TD0001-24 | <b></b> |    | 2,4 mm | 3/32" | 50 mm             | 10N24 | 10 |
| 3 | TD0001-32 |         |    | 3,2 mm | 1/8"  | 50 mm             | 10N25 | 10 |
| 3 | TD0001-40 |         |    | 4,0 mm | 5/32" | 50 mm             | 54N20 | 10 |
| 3 | TD0001-48 |         |    | 4,8 mm | 3/16" | 50 mm             | 30028 | 10 |
| 4 | TQ0002    |         |    |        |       |                   | 18CG  | 10 |
| 4 | TQ0008 *  |         |    |        |       |                   | I     | 10 |
| 7 | BW0056    |         |    |        |       | 58 mm             | 57Y03 | 10 |
| 7 | BW0066    |         |    |        |       | 117 mm            | 57Y02 | 10 |
| 7 | BW0067    |         |    |        |       | 22,5 mm           | 57Y04 | 10 |
| 7 | EA0130    | 0       |    |        |       |                   |       | 10 |

\* ONLY FOR 18 HC

#### GAS LENS

|   |           |           | 1  |         |       |                   |        | -  |
|---|-----------|-----------|----|---------|-------|-------------------|--------|----|
|   | CODE      |           | Gr | Q       |       | $\leftrightarrow$ | REF    |    |
| 1 | TC0031    |           | 4  | 6,4 mm  | 1/4"  | 42 mm             | 54N18  | 10 |
| 1 | TC0032    |           | 5  | 8 mm    | 5/16" | 42 mm             | 54N17  | 10 |
| 1 | TC0033    | Щ         | 6  | 9,8 mm  | 3/8"  | 42 mm             | 54N16  | 10 |
| 1 | TC0034    |           | 7  | 11,2 mm | 7/16" | 42 mm             | 54N15  | 10 |
| 1 | TC0035    |           | 8  | 12,7 mm | 1/2"  | 42 mm             | 54N14  | 10 |
| 1 | TC0036    |           | 11 | 19 mm   | 3/4"  | 42 mm             | 53N87  | 10 |
| 1 | TC0037    |           |    | 17,2 mm |       | 28,6 mm           | 54N19  | 10 |
| 1 | TC0086    |           | 5  | 8 mm    | 5/16" | 76 mm             | 54N17L | 10 |
| 1 | TC0087    |           | 6  | 9,5 mm  | 3/8"  | 76 mm             | 54N16L | 10 |
| 1 | TC0088    |           | 7  | 11 mm   |       | 76 mm             | 54N15L | 10 |
| 2 | TE0006-05 |           |    | 0,5 mm  | .020" | 50 mm             | 45V29  | 10 |
| 2 | TE0006-10 |           |    | 1,0 mm  | .040" | 50 mm             | 45V24  | 10 |
| 2 | TE0006-16 |           |    | 1,6 mm  | 1/16" | 50 mm             | 45V25  | 10 |
| 2 | TE0006-20 |           |    | 2,0 mm  | 5/64" | 50 mm             | -      | 10 |
| 2 | TE0006-24 | Cu + CuZn |    | 2,4 mm  | 3/32" | 50 mm             | 45V26  | 10 |
| 2 | TE0006-32 |           |    | 3,2 mm  | 1/8"  | 50 mm             | 45V27  | 10 |
| 2 | TE0006-40 |           |    | 4,0 mm  | 5/32" | 50 mm             | 45V28  | 10 |
| 3 | TD0022-10 |           |    | 1,0 mm  | .040" | 52 mm             | -      | 10 |
| 3 | TD0022-16 |           |    | 1,6 mm  | 1/16" | 52 mm             | -      | 10 |
| 3 | TD0022-24 |           |    | 2,4 mm  | 3/32" | 52 mm             | -      | 10 |
| 3 | TD0022-32 |           |    | 3,2 mm  | 1/8"  | 52 mm             | -      | 10 |
| 3 | TD0022-40 |           |    | 4,0 mm  | 5/32" | 52 mm             | -      | 10 |
| 4 | TQ0003    | l I       |    |         |       |                   | 54N01  | 10 |
| 7 | BW0056    |           |    |         |       | 58 mm             | 57Y03  | 10 |
| 7 | BW0066    |           |    |         |       | 117 mm            | 57Y02  | 10 |
| 7 | BW0067    | 148       |    |         |       | 22,5 mm           | 57Y04  | 10 |
| 7 | EA0130    | 0         |    |         |       |                   |        | 10 |

Protection gas flow is usually guttered by a STANDARD ceramic nozzle (Figure 1). Such flow is affected by turbulences of torch head which are caused by the inlet pressure. In order to assure an uniform gas distribution, above all in stainless steel, titanium and aluminium alloys welding, we suggest the use of GAS LENS spare parts. The electrode holder equipped with a gas lens net, uniforms the flow (Figure 2) and aid to save the protection gas. Where permitted by external dimensions, it is recommended the JUMBO version which increases the protected surface with advantage for welding quality (Figure 3).

#### GAS LENS XL (JUMBO)

|   |           |          | r – |         |       |                   |        | -        |
|---|-----------|----------|-----|---------|-------|-------------------|--------|----------|
|   | CODE      |          | Gr  | Q       | )     | $\leftrightarrow$ | REF    | <b>N</b> |
| 1 | TC0118    |          | 8   | 12,7 mm | 1/2"  | 48 mm             | 57N74  | 10       |
| 1 | TC0119    |          | 10  | 15,7 mm | 5/8"  | 48 mm             | 53N88  | 10       |
| 1 | TC0120    |          | 12  | 19,5 mm | 3/4"  | 48 mm             | 53N87  | 10       |
| 2 | TE0009-16 |          |     | 1,6 mm  | 1/16" | 51 mm             | 45V16  | 2        |
| 2 | TE0009-24 |          |     | 2,4 mm  | 3/32" | 51 mm             | 45V64  | 2        |
| 2 | TE0009-32 |          |     | 3,2 mm  | 1/8"  | 51 mm             | 995795 | 2        |
| 2 | TE0009-40 |          |     | 4,0 mm  | 5/32" | 51 mm             | 45V63  | 2        |
| 3 | TD0001-05 |          |     | 0,5 mm  | .020" | 50 mm             | 10N21  | 10       |
| 3 | TD0001-10 |          |     | 1,0 mm  | .040" | 50 mm             | 10N22  | 10       |
| 3 | TD0001-16 |          |     | 1,6 mm  | 1/16" | 50 mm             | 10N23  | 10       |
| 3 | TD0001-20 | <u> </u> |     | 2,0 mm  | 5/64" | 50 mm             | -      | 10       |
| 3 | TD0001-24 |          |     | 2,4 mm  | 3/32" | 50 mm             | 10N24  | 10       |
| 3 | TD0001-32 |          |     | 3,2 mm  | 1/8"  | 50 mm             | 10N25  | 10       |
| 3 | TD0001-40 |          |     | 4,0 mm  | 5/32" | 50 mm             | 54N20  | 10       |
| 3 | TD0001-48 |          |     | 4,8 mm  | 3/16" | 50 mm             | 30028  | 10       |
| 4 | TQ0027    |          |     |         |       |                   | 54N63  | 10       |
| 7 | BW0056    |          |     |         |       | 58 mm             | 57Y03  | 10       |
| 7 | BW0066    |          |     |         |       | 117 mm            | 57Y02  | 10       |
| 7 | BW0067    |          |     |         |       | 22,5 mm           | 57Y04  | 10       |
| 7 | EA0130    | 0        |     |         |       |                   |        | 10       |



Figure 2

Figure 3

Figure 1

#### All trademarks are exclusive property of the respective companies. Data and images are indicative and may be changed in any time without notice. Trafimet Group SpA

# 

## TIG 17 / 18 / 18 HC / 26 - STUBBY CONSUMABLES

2



1







3



7

| 5 | UBBY      |    |    |         |       |                   |        |    |
|---|-----------|----|----|---------|-------|-------------------|--------|----|
|   | CODE      |    | Gr | Ø       | ð     | $\leftrightarrow$ | REF    |    |
| 1 | TC0012    |    | 4  | 6,4 mm  | 1/4"  | 30 mm             | 13N08  | 10 |
| 1 | TC0013    |    | 5  | 8 mm    | 5/16" | 30 mm             | 13N09  | 10 |
| 1 | TC0014    |    | 6  | 9,8 mm  | 3/8"  | 30 mm             | 13N10  | 10 |
| 1 | TC0015    |    | 7  | 11,2 mm | 7/16" | 30 mm             | 13N11  | 10 |
| 1 | TC0016    |    | 8  | 12,7 mm | 1/2"  | 30 mm             | 13N12  | 10 |
| 1 | TC0017    |    | 10 | 15,7 mm | 5/8"  | 30 mm             | 13N13  | 10 |
| 1 | TC0096    |    | 4  | 6,5 mm  | 1/4"  | 48 mm             | 796F71 | 10 |
| 1 | TC0097    |    | 5  | 8 mm    | 5/16" | 48 mm             | 796F72 | 10 |
| 1 | TC0098    |    | 6  | 9,5 mm  | 3/8"  | 48 mm             | 796F73 | 10 |
| 1 | TC0101    |    | 4  | 6,5 mm  | 1/4"  | 63 mm             | 796F75 | 10 |
| 1 | TC0102    |    | 5  | 8 mm    | 5/16" | 63 mm             | 796F76 | 10 |
| 1 | TC0103    |    | 4  | 6,5 mm  | 1/4"  | 89 mm             | 796F79 | 10 |
| 2 | TE0002-00 |    |    | 1,0 mm  | .040" | 24,5 mm           | 17CB20 | 10 |
| 3 | TD0002-10 |    |    | 1,0 mm  | .040" | 29 mm             | 10N22S | 10 |
| 3 | TD0002-16 |    |    | 1,6 mm  | 1/16" | 29 mm             | 10N23S | 10 |
| 3 | TD0002-20 |    |    | 2,0 mm  |       | 29 mm             |        | 10 |
| 3 | TD0002-24 |    |    | 2,4 mm  | 3/32" | 29 mm             | 10N24S | 10 |
| 3 | TD0002-32 |    |    | 3,2 mm  | 1/8"  | 29 mm             | 10N25S | 10 |
| 4 | TQ0002    |    |    |         |       |                   | 18CG   | 10 |
| 4 | TQ0008 *  | Ũ  |    |         |       |                   | -      | 10 |
| 7 | BW0056    |    |    |         |       | 58 mm             | 57Y03  | 10 |
| 7 | BW0066    |    |    |         |       | 117 mm            | 57Y02  | 10 |
| 7 | BW0067    | 14 |    |         |       | 22,5 mm           | 57Y04  | 10 |
| 7 | EA0130    | 0  |    |         |       |                   |        | 10 |

\* ONLY FOR 18 HC

STUBBY GAS LENS

4

|   | CODE      |           | Gr | Ø       | ð     | $\longleftrightarrow$ | REF    |    |
|---|-----------|-----------|----|---------|-------|-----------------------|--------|----|
| 1 | TC0041    |           | 4  | 6,4 mm  | 1/4"  | 25,5 mm               | 53N58  | 10 |
| 1 | TC0042    |           | 5  | 8 mm    | 5/16" | 25,5 mm               | 53N59  | 10 |
| 1 | TC0043    |           | 6  | 9,8 mm  | 3/8"  | 25,5 mm               | 53N60  | 10 |
| 1 | TC0044    |           | 7  | 11,2 mm | 7/16" | 25,5 mm               | 53N61  | 10 |
| 1 | TC0045    |           | 8  | 12,7 mm | 1/2"  | 25,5 mm               | 53N61S | 10 |
| 2 | TE0095-16 |           |    | 1,6 mm  | 1/16" | 29 mm                 | -      | 10 |
| 2 | TE0095-20 |           |    | 2,0 mm  | 5/64" | 29 mm                 | -      | 10 |
| 2 | TE0095-24 | Cu + CuZn |    | 2,4 mm  | 3/32" | 29 mm                 | -      | 10 |
| 2 | TE0095-32 | ou rouen  |    | 3,2 mm  | 1/8"  | 29 mm                 | -      | 10 |
| 3 | TD0095-16 |           |    | 1,6 mm  | 1/16" | 30,7 mm               | -      | 10 |
| 3 | TD0095-20 |           |    | 2,0 mm  | 5/64" | 30,7 mm               | -      | 10 |
| 3 | TD0095-24 |           |    | 2,4 mm  | 3/32" | 30,7 mm               | -      | 10 |
| 3 | TD0095-32 |           |    | 3,2 mm  | 1/8"  | 30,7 mm               | -      | 10 |
| 4 | TQ0095    |           |    |         |       |                       | 18CG20 | 10 |
| 4 | TQ0096 *  | ſ         |    |         |       |                       |        | 10 |
| 7 | BW0056    |           |    |         |       | 58 mm                 | 57Y03  | 10 |
| 7 | BW0066    |           |    |         |       | 117 mm                | 57Y02  | 10 |
| 7 | BW0067    |           |    |         |       | 22,5 mm               | 57Y04  | 10 |
| 7 | EA0130    | 0         |    |         |       |                       |        | 10 |

\* ONLY FOR 18 HC

#### STUBBY GAS LENS (C u)

|   | CODE      |    | Gr | Ø       | ð     | $\leftrightarrow$ | REF    | -  |
|---|-----------|----|----|---------|-------|-------------------|--------|----|
| 1 | TC0041    |    | 4  | 6,4 mm  | 1/4"  | 25,5 mm           | 53N58  | 10 |
| 1 | TC0042    |    | 5  | 8 mm    | 5/16" | 25,5 mm           | 53N59  | 10 |
| 1 | TC0043    |    | 6  | 9,8 mm  | 3/8"  | 25,5 mm           | 53N60  | 10 |
| 1 | TC0044    |    | 7  | 11,2 mm | 7/16" | 25,5 mm           | 53N61  | 10 |
| 1 | TC0045    |    | 8  | 12,7 mm | 1/2"  | 25,5 mm           | 53N61S | 10 |
| 2 | TE0096-16 |    |    | 1,6 mm  | 1/16" | 30,6 mm           | -      | 10 |
| 2 | TE0096-20 |    |    | 2,0 mm  | 5/64" | 30,6 mm           | -      | 10 |
| 2 | TE0096-24 | Cu |    | 2,4 mm  | 3/32" | 30,6 mm           | -      | 10 |
| 2 | TE0096-32 | Öü |    | 3,2 mm  | 1/8"  | 30,6 mm           | -      | 10 |
| 3 | TD0096-16 |    |    | 1,6 mm  | 1/16" | 33 mm             | -      | 10 |
| 3 | TD0096-20 |    |    | 2,0 mm  | 5/64" | 33 mm             | -      | 10 |
| 3 | TD0096-24 |    |    | 2,4 mm  | 3/32" | 33 mm             | -      | 10 |
| 3 | TD0096-32 |    |    | 3,2 mm  | 1/8"  | 33 mm             | -      | 10 |
| 4 | TQ0095    | ſ  |    |         |       |                   | 18CG20 | 10 |
| 4 | TQ0096 *  | ſ  |    |         |       |                   |        | 10 |
| 7 | BW0056    |    |    |         |       | 58 mm             | 57Y03  | 10 |
| 7 | BW0066    |    |    |         |       | 117 mm            | 57Y02  | 10 |
| 7 | BW0067    |    |    |         |       | 22,5 mm           | 57Y04  | 10 |
| 7 | EA0130    | 0  |    |         |       |                   |        | 10 |

\* ONLY FOR 18 HC

| The Stubby collets   | allow the use of the small nozzles of the 9/20 |
|----------------------|--|
| series on the 17/18, | /26 torch bodies.                              |

